


Grupa BS. Podkładka dystansowa.

Materiał: PE Kolor: Czarny



Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS62,532	6.0	2.5	3.2	M3	1000
BS6332	6.0	3.0	3.2	M3	1000
BS6532	6.0	5.0	3.2	M3	1000
BS67532	6.0	7.5	3.2	M3	1000
BS61032	6.0	10.0	3.2	M3	1000
BS612532	6.0	12.5	3.2	M3	1000
BS61532	6.0	15.0	3.2	M3	1000
BS617532	6.0	17.5	3.2	M3	1000
BS62032	6.0	20.0	3.2	M3	1000
BS622532	6.0	22.5	3.2	M3	1000
BS62532	6.0	25.0	3.2	M3	1000
BS63032	6.0	30.0	3.2	M3	1000
BS82,532	8.0	2.5	3.2	M3	1000
BS8332	8.0	3.0	3.2	M3	1000
BS8532	8.0	5.0	3.2	M3	1000

PLAST//TRADING

tel.: 067 266-51-18, fax 067 266-50-23, e - mail: office@plast-trading.com.pl

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS87532	8.0	7.5	3.2	M3	1000
BS81032	8.0	10.0	3.2	M3	1000
BS812532	8.0	12.5	3.2	M3	1000
BS81532	8.0	15.0	3.2	M3	1000
BS817532	8.0	17.5	3.2	M3	1000
BS82032	8.0	20.0	3.2	M3	1000
BS822532	8.0	22.5	3.2	M3	1000
BS82532	8.0	25.0	3.2	M3	1000
BS83032	8.0	30.0	3.2	M3	1000
BS82,543	8.0	2.5	4.3	M4	1000
BS8343	8.0	3.0	4.3	M4	1000
BS8543	8.0	5.0	4.3	M4	1000
BS87543	8.0	7.5	4.3	M4	1000
BS81043	8.0	10.0	4.3	M4	1000
BS812543	8.0	12.5	4.3	M4	1000
BS81543	8.0	15.0	4.3	M4	1000
BS817543	8.0	17.5	4.3	M4	1000
BS82043	8.0	20.0	4.3	M4	1000
BS822543	8.0	22.5	4.3	M4	1000
BS82543	8.0	25.0	4.3	M4	1000
BS83043	8.0	30.0	4.3	M4	1000
BS82,553	8.0	2.5	5.3	M5	1000
BS8353	8.0	3.0	5.3	M5	1000
BS8553	8.0	5.0	5.3	M5	1000
BS87553	8.0	7.5	5.3	M5	1000
BS81053	8.0	10.0	5.3	M5	1000
BS812553	8.0	12.5	5.3	M5	1000
BS81553	8.0	15.0	5.3	M5	1000
BS817553	8.0	17.5	5.3	M5	1000
BS82053	8.0	20.0	5.3	M5	1000
BS822553	8.0	22.5	5.3	M5	1000
BS82553	8.0	25.0	5.3	M5	1000
BS83053	8.0	30.0	5.3	M5	1000
BS102,553	10.0	2.5	5.3	M5	1000
BS10353	10.0	3.0	5.3	M5	1000
BS10553	10.0	5.0	5.3	M5	1000
BS107553	10.0	7.5	5.3	M5	1000
BS101053	10.0	10.0	5.3	M5	1000
BS1012553	10.0	12.5	5.3	M5	1000
BS101553	10.0	15.0	5.3	M5	1000
BS1017553	10.0	17.5	5.3	M5	1000
BS102053	10.0	20.0	5.3	M5	1000
BS1022553	10.0	22.5	5.3	M5	1000
BS102553	10.0	25.0	5.3	M5	1000
BS103053	10.0	30.0	5.3	M5	1000
BS122,553	12.0	2.5	5.3	M5	1000

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS12353	12.0	3.0	5.3	M5	1000
BS12553	12.0	5.0	5.3	M5	1000
BS127553	12.0	7.5	5.3	M5	1000
BS121053	12.0	10.0	5.3	M5	1000
BS1212553	12.0	12.5	5.3	M5	1000
BS121553	12.0	15.0	5.3	M5	1000
BS1217553	12.0	17.5	5.3	M5	1000
BS122053	12.0	20.0	5.3	M5	1000
BS1222553	12.0	22.5	5.3	M5	1000
BS122553	12.0	25.0	5.3	M5	1000
BS123053	12.0	30.0	5.3	M5	1000
BS152,553	12.0	2.5	5.3	M5	1000
BS15353	15.0	3.0	5.3	M5	1000
BS15553	15.0	5.0	5.3	M5	1000
BS157553	15.0	7.5	5.3	M5	1000
BS151053	15.0	10.0	5.3	M5	1000
BS1512553	15.0	12.5	5.3	M5	1000
BS151553	15.0	15.0	5.3	M5	1000
BS1517553	15.0	17.5	5.3	M5	1000
BS152053	15.0	20.0	5.3	M5	1000
BS1522553	15.0	22.5	5.3	M5	1000
BS152553	15.0	25.0	5.3	M5	1000
BS153053	15.0	30.0	5.3	M5	1000
BS202,553	20.0	2.5	5.3	M5	1000
BS20353	20.0	3.0	5.3	M5	1000
BS20553	20.0	5.0	5.3	M5	1000
BS207553	20.0	7.5	5.3	M5	1000
BS201053	20.0	10.0	5.3	M5	1000
BS2012553	20.0	12.5	5.3	M5	1000
BS201553	20.0	15.0	5.3	M5	1000
BS2017553	20.0	17.5	5.3	M5	1000
BS202053	20.0	20.0	5.3	M5	1000
BS2022553	20.0	22.5	5.3	M5	1000
BS202553	20.0	25.0	5.3	M5	1000
BS203053	20.0	30.0	5.3	M5	1000
BS102,563	10.0	2.5	6.3	M6	1000
BS10363	10.0	3.0	6.3	M6	1000
BS10563	10.0	5.0	6.3	M6	1000
BS107563	10.0	7.5	6.3	M6	1000
BS101063	10.0	10.0	6.3	M6	1000
BS1012563	10.0	12.5	6.3	M6	1000
BS101563	10.0	15.0	6.3	M6	1000
BS1017563	10.0	17.5	6.3	M6	1000
BS102063	10.0	20.0	6.3	M6	1000
BS1022563	10.0	22.5	6.3	M6	1000
BS102563	10.0	25.0	6.3	M6	1000

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS103063	10.0	30.0	6.3	M6	1000
BS122563	12.0	2.5	6.3	M6	1000
BS12363	12.0	3.0	6.3	M6	1000
BS12563	12.0	5.0	6.3	M6	1000
BS127563	12.0	7.5	6.3	M6	1000
BS121063	12.0	10.0	6.3	M6	1000
BS1212563	12.0	12.5	6.3	M6	1000
BS121563	12.0	15.0	6.3	M6	1000
BS1217563	12.0	17.5	6.3	M6	1000
BS122063	12.0	20.0	6.3	M6	1000
BS1222563	12.0	22.5	6.3	M6	1000
BS122563	12.0	25.0	6.3	M6	1000
BS123063	12.0	30.0	6.3	M6	1000
BS152563	15.0	2.5	6.3	M6	1000
BS15363	15.0	3.0	6.3	M6	1000
BS15463	15.0	4.0	6.3	M6	1000
BS157563	15.0	7.5	6.3	M6	1000
BS151063	15.0	10.0	6.3	M6	1000
BS1512563	15.0	12.5	6.3	M6	1000
BS151563	15.0	15.0	6.3	M6	1000
BS1517563	15.0	17.5	6.3	M6	1000
BS152063	15.0	20.0	6.3	M6	1000
BS1522563	15.0	22.5	6.3	M6	1000
BS152563	15.0	25.0	6.3	M6	1000
BS153063	15.0	30.0	6.3	M6	1000
BS202,563	20.0	2.5	6.3	M6	1000
BS20363	20.0	3.0	6.3	M6	1000
BS20463	20.0	4.0	6.3	M6	1000
BS207563	20.0	7.5	6.3	M6	1000
BS201063	20.0	10.0	6.3	M6	1000
BS2012563	20.0	12.5	6.3	M6	1000
BS201563	20.0	15.0	6.3	M6	1000
BS2017563	20.0	17.5	6.3	M6	1000
BS202063	20.0	20.0	6.3	M6	1000
BS2022563	20.0	22.5	6.3	M6	1000
BS202563	20.0	25.0	6.3	M6	1000
BS203063	20.0	30.0	6.3	M6	1000
BS122,584	12.0	2.5	8.4	M8	1000
BS12384	12.0	3.0	8.4	M8	1000
BS12584	12.0	5.0	8.4	M8	1000
BS127584	12.0	7.5	8.4	M8	1000
BS121084	12.0	10.0	8.4	M8	1000
BS1212584	12.0	12.5	8.4	M8	1000
BS121584	12.0	15.0	8.4	M8	1000
BS1217584	12.0	17.5	8.4	M8	1000
BS122084	12.0	20.0	8.4	M8	1000


Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS1222584	12.0	22.5	8.4	M8	1000
BS122584	12.0	25.0	8.4	M8	1000
BS123084	12.0	30.0	8.4	M8	1000
BS152,584	15.0	2.5	8.4	M8	1000
BS15384	15.0	3.0	8.4	M8	1000
BS15484	15.0	5.0	8.4	M8	1000
BS157584	15.0	7.5	8.4	M8	1000
BS151084	15.0	10.0	8.4	M8	1000
BS1512584	15.0	12.5	8.4	M8	1000
BS151584	15.0	15.0	8.4	M8	1000
BS1517584	15.0	17.5	8.4	M8	1000
BS152084	15.0	20.0	8.4	M8	1000
BS152258484	15.0	22.5	8.4	M8	1000
BS15258484	15.0	25.0	8.4	M8	1000
BS153084	15.0	30.0	8.4	M8	1000
BS202,584	20.0	2.5	8.4	M8	1000
BS20384	20.0	3.0	8.4	M8	1000
BS20584	20.0	5.0	8.4	M8	1000
BS207584	20.0	7.5	8.4	M8	1000
BS201084	20.0	10.0	8.4	M8	1000
BS2012584	20.0	12.5	8.4	M8	1000
BS201584	20.0	15.0	8.4	M8	1000
BS2017584	20.0	17.5	8.4	M8	1000
BS202084	20.0	20.0	8.4	M8	1000
BS2022584	20.0	22.5	8.4	M8	1000
BS202584	20.0	25.0	8.4	M8	1000
BS203084	20.0	30.0	8.4	M8	1000
BS252,584	25.0	2.5	8.4	M8	1000
BS25384	25.0	3.0	8.4	M8	1000
BS25584	25.0	5.0	8.4	M8	1000
BS257584	25.0	7.5	8.4	M8	1000
BS251084	25.0	10.0	8.4	M8	1000
BS2512584	25.0	12.5	8.4	M8	1000
BS251584	25.0	15.0	8.4	M8	1000
BS2517584	25.0	17.5	8.4	M8	1000
BS252084	25.0	20.0	8.4	M8	1000
BS2522584	25.0	22.5	8.4	M8	1000
BS252584	25.0	25.0	8.4	M8	1000
BS253084	25.0	30.0	8.4	M8	1000
BS152,5105	15.0	2.5	10.5	M10	1000
BS153105	15.0	3.0	10.5	M10	1000
BS154105	15.0	5.0	10.5	M10	1000
BS1575105	15.0	7.5	10.5	M10	1000
BS1510105	15.0	10.0	10.5	M10	1000
BS15125105	15.0	12.5	10.5	M10	1000
BS1515105	15.0	15.0	10.5	M10	1000

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS15175105	15.0	17.5	10.5	M10	1000
BS1520105	15.0	20.0	10.5	M10	1000
BS15225105	15.0	22.5	10.5	M10	1000
BS1525105	15.0	25.0	10.5	M10	1000
BS1530105	15.0	30.0	10.5	M10	1000
BS202,5105	20.0	2.5	10.5	M10	1000
BS203105	20.0	3.0	10.5	M10	1000
BS205105	20.0	5.0	10.5	M10	1000
BS2075105	20.0	7.5	10.5	M10	1000
BS2010105	20.0	10.0	10.5	M10	1000
BS20125105	20.0	12.5	10.5	M10	1000
BS2015105	20.0	15.0	10.5	M10	1000
BS20175105	20.0	17.5	10.5	M10	1000
BS2020105	20.0	20.0	10.5	M10	1000
BS20225105	20.0	22.5	10.5	M10	1000
BS2025105	20.0	25.0	10.5	M10	1000
BS2030105	20.0	30.0	10.5	M10	1000
BS252,5105	25.0	2.5	10.5	M10	1000
BS253105	25.0	3.0	10.5	M10	1000
BS255105	25.0	5.0	10.5	M10	1000
BS2575105	25.0	7.5	10.5	M10	1000
BS2510105	25.0	10.0	10.5	M10	1000
BS25125105	25.0	12.5	10.5	M10	1000
BS2515105	25.0	15.0	10.5	M10	1000
BS25175105	25.0	17.5	10.5	M10	1000
BS2520105	25.0	20.0	10.5	M10	1000
BS25225105	25.0	22.5	10.5	M10	1000
BS2525105	25.0	25.0	10.5	M10	1000
BS2530105	25.0	30.0	10.5	M10	1000
BS202,513	20.0	2.5	13.0	M12	1000
BS20313	20.0	3.0	13.0	M12	1000
BS20513	20.0	5.0	13.0	M12	1000
BS207513	20.0	7.5	13.0	M12	1000
BS201013	20.0	10.0	13.0	M12	1000
BS2012513	20.0	12.5	13.0	M12	1000
BS201513	20.0	15.0	13.0	M12	1000
BS2017513	20.0	17.5	13.0	M12	1000
BS202013	20.0	20.0	13.0	M12	1000
BS2022513	20.0	22.5	13.0	M12	1000
BS202513	20.0	25.0	13.0	M12	1000
BS203013	20.0	30.0	13.0	M12	1000
BS252,513	25.0	2.5	13.0	M12	1000
BS25313	25.0	3.0	13.0	M12	1000
BS25513	25.0	5.0	13.0	M12	1000
BS257513	25.0	7.5	13.0	M12	1000
BS251013	25.0	10.0	13.0	M12	1000

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS2512513	25.0	12.5	13.0	M12	1000
BS251513	25.0	15.0	13.0	M12	1000
BS2517513	25.0	17.5	13.0	M12	1000
BS252013	25.0	20.0	13.0	M12	1000
BS2522513	25.0	22.5	13.0	M12	1000
BS252513	25.0	25.0	13.0	M12	1000
BS253013	25.0	30.0	13.0	M12	1000

Grupa BS. Podkładka dystansowa.


Materiał: PE **Kolor:** Czarny



Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Opak. szt.
BS15272	15.0	2.0	7.2	1000
BS1557	15.0	5.0	7.0	1000
BS1564	15.0	6.0	4.0	1000
BS15651	15.0	6.0	5.1	1000
BS15661	15.0	8.0	6.1	1000
BS1585	15.0	8.0	8.0	1000
BS15147	15.0	14.0	7.2	1000
BS2237	22.0	3.0	7.0	1000
BS22106	22.0	10.0	6.0	1000
BS2556	25.0	5.0	6.0	1000
BS251061	25.0	10.0	6.1	1000
BS32371	32.0	3.0	7.1	1000
BS401055	40.0	10.0	5.5	1000
BS4010105	40.0	10.0	5.0	1000

Grupa BS. Podkładka dystansowa DIN 125.

Materiał: PE **Kolor:** Naturalny




Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS60525	6.0	0.5	2.5	M2.3	1000
BS60527	6.0	0.5	2.7	M2.5	1000

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS70528	7.0	0.5	2.8	M2.6	1000
BS70532	7.0	0.5	3.2	M3	1000
BS80537	8.0	0.5	3.7	M3.5	1000
BS81532	8.0	1.5	3.2	M3	1000
BS81543	8.0	1.5	4.3	M4	1000
BS90843	9.0	0.8	4.3	M4	1000
BS10153	10.0	1.0	5.3	M5	1000
BS121554	12.0	1.5	5.4	M5	1000
BS121565	12.0	1.5	6.5	M6	1000
BS121664	12.0	1.6	6.4	M6	1000
BS141674	14.0	1.6	7.4	M7	1000
BS171684	17.0	1.6	8.4	M8	1000
BS17286	17.0	2.0	8.6	M8	1000
BS202105	20.0	2.0	10.5	M10	1000
BS2125106	21.0	2.5	10.6	M10	1000
BS242513	24.0	2.5	13.0	M12	1000
BS282515	28.0	2.5	15.0	M14	1000
BS30317	30.0	3.0	17.0	M16	1000
BS37321	37.0	3.0	21.0	M20	1000
BS39323	39.0	3.0	23.0	M22	1000
BS44425	44.0	4.0	25.0	M24	1000
BS50427	50.0	4.0	27.0	M26	1000
BS50428	50.0	4.0	28.0	M27	1000
BS50429	50.0	4.0	29.0	M28	1000
BS56431	56.0	4.0	31.0	M30	1000
BS60533	60.0	5.0	33.0	M32	1000
BS60534	60.0	5.0	34.0	M33	1000
BS66537	66.0	5.0	37.0	M36	1000
BS72639	72.0	6.0	39.0	M38	1000
BS72640	72.0	6.0	40.0	M39	1000
BS72641	72.0	6.0	41.0	M40	1000

Grupa BS. Podkładka dystansowa DIN 433.

Materiał: PE **Kolor:** Naturalny




Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS80827	8.0	0.8	2.7	M2.5	1000
BS90832	9.0	0.8	3.2	M3	1000
BS110837	11.0	0.8	3.7	M3.5	1000

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS12143	12.0	1.0	4.3	M4	1000
BS151253	15.0	1.2	5.3	M5	1000
BS181664	18.0	1.6	6.4	M6	1000
BS22274	22.0	2.0	7.4	M7	1000
BS24284	24.0	2.0	8.4	M8	1000
BS3025105	30.0	2.5	10.5	M10	1000
BS37313	37.0	3.0	13.0	M12	1000
BS44315	44.0	3.0	15.0	M14	1000
BS50317	50.0	3.0	17.0	M16	1000
BS56420	56.0	4.0	20.0	M18	1000
BS60422	60.0	4.0	22.0	M20	1000

Grupa BS. Podkładka dystansowa DIN 9021.

Materiał: PE **Kolor:** Naturalny




Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Rodzaj gwintu	Opak. szt.
BS80827	8.0	0.8	2.7	M2.5	1000
BS90832	9.0	0.8	3.2	M3	1000
BS110837	11.0	0.8	3.7	M3.5	1000
BS12143	12.0	1.0	4.3	M4	1000
BS151253	15.0	1.2	5.3	M5	1000
BS181664	18.0	1.6	6.4	M6	1000
BS22274	22.0	2.0	7.4	M7	1000
BS24284	24.0	2.0	8.4	M8	1000
BS3025105	30.0	2.5	10.5	M10	1000
BS37313	37.0	3.0	13.0	M12	1000
BS44315	44.0	3.0	15.0	M14	1000
BS50317	50.0	3.0	17.0	M16	1000
BS56420	56.0	4.0	20.0	M18	1000
BS60422	60.0	4.0	22.0	M20	1000

Przykład zamówienia: BS60422

Grupa DK. Łącznik dystansowy.


Materiał: PE **Kolor:** Czarny



Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar d /mm/	Wymiar h /mm/	Ø profilu	Opak. szt.
DK152062-1	15.0	20.0	6.2	17.5	16.0-20.0	500
DK151062-1	15.0	10.0	6.2	7.5	16.0-20.0	500
DK1512562-1	15.0	12.5	6.2	10.0	16.0-20.0	500
DK151562-1	15.0	15.0	6.2	12.5	16.0-20.0	500
DK1817562-1	18.0	17.5	6.2	15.0	16.0-20.0	500
DK232567-1	23.0	25.0	6.7	17.0	20.0-23.0	500
DK231668-1	23.0	16.0	6.8	11.5	20.0-23.0	500

Grupa DK. Łącznik dystansowy.

Materiał: PE **Kolor:** Czarny




Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DK112552	11.0	2.5	5.2	12.0-14.0	250
DK157562	15.0	7.5	6.2	16.0-20.0	250
DK151062	15.0	10.0	6.2	16.0-20.0	250
DK1512562	15.0	12.5	6.2	16.0-20.0	250
DK151562	15.0	15.0	6.2	16.0-20.0	250
DK1517562	15.0	17.5	6.2	16.0-20.0	250
DK172552	17.0	2.5	5.2	18.0-20.0	250
DK172562	17.0	2.5	6.2	18.0-20.0	250
DK19352	19.0	3.0	5.2	20.0-23.0	250
DK19362	19.0	3.0	6.2	20.0-23.0	250
DK1911552	19.0	11.5	5.2	20.0-23.0	250
DK1911562	19.0	11.5	6.2	20.0-23.0	250
DK22362	22.0	3.0	6.2	24.0-26.0	250
DK22382	22.0	3.0	8.2	24.0-26.0	250
DK22382	22.0	3.0	8.2	25.0-28.0	250
DK22582	22.0	5.0	8.2	25.0-28.0	250
DK227582	22.0	7.5	8.2	25.0-28.0	250
DK221082	22.0	10.0	8.2	25.0-28.0	250
DK2212582	22.0	12.5	8.2	25.0-28.0	250
DK221582	22.0	15.0	8.2	25.0-28.0	250
DK2217582	22.0	17.5	8.2	25.0-28.0	250
DK222082	22.0	20.0	8.2	25.0-28.0	250
DK2222582	22.0	22.5	8.2	25.0-28.0	250
DK222582	22.0	25.0	8.2	25.0-28.0	250
DK2227582	22.0	27.5	8.2	25.0-28.0	250
DK223082	22.0	30.0	8.2	25.0-28.0	250
DK25382	25.0	3.0	8.2	29.0-32.0	250

Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DK25582	25.0	5.0	8.2	29.0-32.0	250
DK257582	25.0	7.5	8.2	29.0-32.0	250
DK251082	25.0	10.0	8.2	29.0-32.0	250
DK2512582	25.0	12.5	8.2	29.0-32.0	250
DK251582	25.0	15.0	8.2	29.0-32.0	250
DK2517582	25.0	17.5	8.2	29.0-32.0	250
DK252082	25.0	20.0	8.2	29.0-32.0	250
DK2522582	25.0	22.5	8.2	29.0-32.0	250
DK252582	25.0	25.0	8.2	29.0-32.0	250
DK2527582	25.0	27.5	8.2	29.0-32.0	250
DK253082	25.0	30.0	8.2	29.0-32.0	250
DK283562	28.0	3.5	6.2	30.0-34.0	250
DK283582	28.0	3.5	8.2	30.0-34.0	250
DK2835102	28.0	3.5	10.2	30.0-34.0	250
DK35562	35.0	5.0	6.2	38.0-42.0	250
DK35582	35.0	5.0	8.2	38.0-42.0	250
DK355102	35.0	5.0	10.2	38.0-42.0	250

Grupa DKK. Łącznik dystansowy.

Materiał: PE **Kolor:** Czarny




Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DKK112552	11.0	2.5	5.2	12.0-14.0	250
DKK157562	15.0	7.5	6.2	16.0-20.0	250
DKK151062	15.0	10.0	6.2	16.0-20.0	250
DKK1512562	15.0	12.5	6.2	16.0-20.0	250
DKK151562	15.0	15.0	6.2	16.0-20.0	250
DKK1517562	15.0	17.5	6.2	16.0-20.0	250
DKK172552	17.0	2.5	5.2	18.0-20.0	250
DKK172562	17.0	2.5	6.2	18.0-20.0	250
DKK19352	19.0	3.0	5.2	20.0-23.0	250
DKK19362	19.0	3.0	6.2	20.0-23.0	250
DKK1911552	19.0	11.5	5.2	20.0-23.0	250
DKK1911562	19.0	11.5	6.2	20.0-23.0	250
DKK22362	22.0	3.0	6.2	24.0-26.0	250
DKK22382	22.0	3.0	8.2	24.0-26.0	250
DKK22382	22.0	3.0	8.2	25.0-28.0	250
DKK22582	22.0	5.0	8.2	25.0-28.0	250
DKK227582	22.0	7.5	8.2	25.0-28.0	250

Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DKK221082	22.0	10.0	8.2	25.0-28.0	250
DKK2212582	22.0	12.5	8.2	25.0-28.0	250
DKK221582	22.0	15.0	8.2	25.0-28.0	250
DKK2217582	22.0	17.5	8.2	25.0-28.0	250
DKK222082	22.0	20.0	8.2	25.0-28.0	250
DKK2222582	22.0	22.5	8.2	25.0-28.0	250
DKK222582	22.0	25.0	8.2	25.0-28.0	250
DKK2227582	22.0	27.5	8.2	25.0-28.0	250
DKK223082	22.0	30.0	8.2	25.0-28.0	250
DKK25382	25.0	3.0	8.2	29.0-32.0	250
DKK25582	25.0	5.0	8.2	29.0-32.0	250
DKK257582	25.0	7.5	8.2	29.0-32.0	250
DKK251082	25.0	10.0	8.2	29.0-32.0	250
DKK2512582	25.0	12.5	8.2	29.0-32.0	250
DKK251582	25.0	15.0	8.2	29.0-32.0	250
DKK2517582	25.0	17.5	8.2	29.0-32.0	250
DKK252082	25.0	20.0	8.2	29.0-32.0	250
DKK2522582	25.0	22.5	8.2	29.0-32.0	250
DKK252582	25.0	25.0	8.2	29.0-32.0	250
DKK2527582	25.0	27.5	8.2	29.0-32.0	250
DKK253082	25.0	30.0	8.2	29.0-32.0	250
DKK283562	28.0	3.5	6.2	30.0-34.0	250
DKK283582	28.0	3.5	8.2	30.0-34.0	250
DKK2835102	28.0	3.5	10.2	30.0-34.0	250
DKK35562	35.0	5.0	6.2	38.0-42.0	250
DKK35582	35.0	5.0	8.2	38.0-42.0	250
DKK355102	35.0	5.0	10.2	38.0-42.0	250

Przykład zamówienia: DKK355102

Grupa DKS. Łącznik dystansowy.

Materiał: PE **Kolor:** Czarny




Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DKS112552	11.0	2.5	5.2	12.0-14.0	250
DKS157562	15.0	7.5	6.2	16.0-20.0	250
DKS151062	15.0	10.0	6.2	16.0-20.0	250
DKS1512562	15.0	12.5	6.2	16.0-20.0	250
DKS151562	15.0	15.0	6.2	16.0-20.0	250
DKS1517562	15.0	17.5	6.2	16.0-20.0	250
DKS172552	17.0	2.5	5.2	18.0-20.0	250

Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DKS172562	17.0	2.5	6.2	18.0-20.0	250
DKS19352	19.0	3.0	5.2	20.0-23.0	250
DKS19362	19.0	3.0	6.2	20.0-23.0	250
DKS1911552	19.0	11.5	5.2	20.0-23.0	250
DKS1911562	19.0	11.5	6.2	20.0-23.0	250
DKS22362	22.0	3.0	6.2	24.0-26.0	250
DKS22382	22.0	3.0	8.2	24.0-26.0	250
DKS22382	22.0	3.0	8.2	25.0-28.0	250
DKS22582	22.0	5.0	8.2	25.0-28.0	250
DKS227582	22.0	7.5	8.2	25.0-28.0	250
DKS221082	22.0	10.0	8.2	25.0-28.0	250
DKS2212582	22.0	12.5	8.2	25.0-28.0	250
DKS221582	22.0	15.0	8.2	25.0-28.0	250
DKS2217582	22.0	17.5	8.2	25.0-28.0	250
DKS222082	22.0	20.0	8.2	25.0-28.0	250
DKS2222582	22.0	22.5	8.2	25.0-28.0	250
DKS222582	22.0	25.0	8.2	25.0-28.0	250
DKS2227582	22.0	27.5	8.2	25.0-28.0	250
DKS223082	22.0	30.0	8.2	25.0-28.0	250
DKS25382	25.0	3.0	8.2	29.0-32.0	250
DKS25582	25.0	5.0	8.2	29.0-32.0	250
DKS257582	25.0	7.5	8.2	29.0-32.0	250
DKS251082	25.0	10.0	8.2	29.0-32.0	250
DKS2512582	25.0	12.5	8.2	29.0-32.0	250
DKS251582	25.0	15.0	8.2	29.0-32.0	250
DKS2517582	25.0	17.5	8.2	29.0-32.0	250
DKS252082	25.0	20.0	8.2	29.0-32.0	250
DKS2522582	25.0	22.5	8.2	29.0-32.0	250
DKS252582	25.0	25.0	8.2	29.0-32.0	250
DKS2527582	25.0	27.5	8.2	29.0-32.0	250
DKS253082	25.0	30.0	8.2	29.0-32.0	250
DKS283562	28.0	3.5	6.2	30.0-34.0	250
DKS283582	28.0	3.5	8.2	30.0-34.0	250
DKS2835102	28.0	3.5	10.2	30.0-34.0	250
DKS35562	35.0	5.0	6.2	38.0-42.0	250
DKS35582	35.0	5.0	8.2	38.0-42.0	250
DKS355102	35.0	5.0	10.2	38.0-42.0	250

Grupa DKD. Łącznik dystansowy.

Materiał: PE **Kolor:** Czarny




Art. nr.	Wymiar D /mm/	Wymiar h /mm/	Wymiar d /mm/	Ø profilu	Opak. szt.
DKD13352	13.0	3.0	5.2	15.0-18.0	100
DKD13362	13.0	3.0	6.2	15.0-18.0	100
DKD13552	13.0	5.0	5.2	15.0-18.0	100
DKD13562	13.0	5.0	6.2	15.0-18.0	100
DKD17352	17.0	3.0	5.2	18.0-20.0	100
DKD17362	17.0	3.0	6.2	18.0-20.0	100
DKD17552	17.0	5.0	5.2	18.0-20.0	100
DKD17562	17.0	5.0	6.2	18.0-20.0	100
DKD19352	19.0	3.0	5.2	20.0-23.0	100
DKD19362	19.0	3.0	6.2	20.0-23.0	100
DKD19552	19.0	5.0	5.2	20.0-23.0	100
DKD19562	19.0	5.0	6.2	20.0-23.0	100
DKD21352	21.0	3.0	5.2	22.0-25.0	100
DKD21362	21.0	3.0	6.2	22.0-25.0	100
DKD21552	21.0	5.0	5.2	22.0-25.0	100
DKD21562	21.0	5.0	6.2	22.0-25.0	100
DKD24352	24.0	3.0	5.2	25.0-28.0	100
DKD24362	24.0	3.0	6.2	25.0-28.0	100
DKD24552	24.0	5.0	5.2	25.0-28.0	100
DKD24562	24.0	5.0	6.2	25.0-28.0	100
DKD27352	27.0	3.0	5.2	28.0-30.0	100
DKD27362	27.0	3.0	6.2	28.0-30.0	100
DKD27552	27.0	5.0	5.2	28.0-30.0	100
DKD27562	27.0	5.0	6.2	28.0-30.0	100
DKD29352	29.0	3.0	5.2	30.0-32.0	100
DKD29362	29.0	3.0	6.2	30.0-32.0	100
DKD29552	29.0	5.0	5.2	30.0-32.0	100
DKD29562	29.0	5.0	6.2	30.0-32.0	100

Przykład zamówienia: BS60422

Grupa TK. Tulejka z kołnierzem.

Materiał: PA **Kolor:** Naturalny



Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK16295231	1.6	2.9	5.2	3.0	1.0	1000
TK21295231	2.1	2.9	5.2	3.0	1.0	1000
TK16296331	1.6	2.9	6.3	3.0	1.0	1000
TK212963208	2.1	2.9	6.3	2.0	0.8	1000
TK16325231	1.6	3.2	5.2	3.0	1.0	1000


Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK21325231	2.1	3.2	5.2	3.0	1.0	1000
TK24325231	2.4	3.2	5.2	3.0	1.0	1000
TK1633631	1.6	3.3	6.0	3.0	1.0	1000
TK21336251	2.1	3.3	6.0	2.5	1.0	1000
TK2133631	2.1	3.3	6.0	3.0	1.0	1000
TK2433631	2.4	3.3	6.0	3.0	1.0	1000
TK2633631	2.6	3.3	6.0	3.0	1.0	1000
TK163551208	1.6	3.5	5.1	2.0	0.8	1000
TK213551208	2.1	3.5	5.1	2.0	0.8	1000
TK243551208	2.4	3.5	5.1	2.0	0.8	1000
TK263551208	2.6	3.5	5.1	2.0	0.8	1000
TK283551208	2.8	3.5	5.1	2.0	0.8	1000
TK213561208	2.1	3.5	6.1	2.0	0.8	1000
TK243561208	2.4	3.5	6.1	2.0	0.8	1000
TK263561208	2.6	3.5	6.1	2.0	0.8	1000
TK283561208	2.8	3.5	6.1	2.0	0.8	1000
TK213861208	2.1	3.8	6.1	2.0	0.8	1000
TK243861208	2.4	3.8	6.1	2.0	0.8	1000
TK263861208	2.6	3.8	6.1	2.0	0.8	1000
TK283861208	2.8	3.8	6.1	2.0	0.8	1000
TK313861208	3.1	3.8	6.1	2.0	0.8	1000
TK213910313	2.1	3.9	10.0	3.0	1.3	1000
TK243910313	2.4	3.9	10.0	3.0	1.3	1000
TK263910313	2.6	3.9	10.0	3.0	1.3	1000
TK283910313	2.8	3.9	10.0	3.0	1.3	1000
TK313910313	3.1	3.9	10.0	3.0	1.3	1000
TK21462313	2.1	4.0	6.2	3.0	1.3	1000
TK24462313	2.4	4.0	6.2	3.0	1.3	1000
TK26462313	2.6	4.0	6.2	3.0	1.3	1000
TK31462313	3.1	4.0	6.2	3.0	1.3	1000
TK214374313	2.1	4.3	7.4	3.0	1.3	1000
TK244374313	2.4	4.3	7.4	3.0	1.3	1000
TK264374313	2.6	4.3	7.4	3.0	1.3	1000
TK284374313	2.8	4.3	7.4	3.0	1.3	1000
TK314374313	3.1	4.3	7.4	3.0	1.3	1000
TK364374313	3.6	4.3	7.4	3.0	1.3	1000
TK214779313	2.1	4.7	7.9	3.0	1.3	1000
TK244779313	2.4	4.7	7.9	3.0	1.3	1000
TK264779313	2.6	4.7	7.9	3.0	1.3	1000
TK284779313	2.8	4.7	7.9	3.0	1.3	1000
TK314779313	3.1	4.7	7.9	3.0	1.3	1000
TK364779313	3.6	4.7	7.9	3.0	1.3	1000
TK214910313	2.1	4.9	10.0	3.0	1.3	1000
TK244910313	2.4	4.9	10.0	3.0	1.3	1000
TK264910313	2.6	4.9	10.0	3.0	1.3	1000
TK284910313	2.8	4.9	10.0	3.0	1.3	1000

Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK314910313	3.1	4.9	10.0	3.0	1.3	1000
TK364910313	3.6	4.9	10.0	3.0	1.3	1000
TK424910313	4.2	4.9	10.0	3.0	1.3	1000
TK215510313	2.1	5.5	10.0	3.0	1.3	1000
TK245510313	2.4	5.5	10.0	3.0	1.3	1000
TK265510313	2.6	5.5	10.0	3.0	1.3	1000
TK285510313	2.8	5.5	10.0	3.0	1.3	1000
TK315510313	3.1	5.5	10.0	3.0	1.3	1000
TK365510313	3.6	5.5	10.0	3.0	1.3	1000
TK425510313	4.2	5.5	10.0	3.0	1.3	1000
TK215910313	2.1	5.9	10.0	3.0	1.3	1000
TK245910313	2.4	5.9	10.0	3.0	1.3	1000
TK265910313	2.6	5.9	10.0	3.0	1.3	1000
TK285910313	2.8	5.9	10.0	3.0	1.3	1000
TK315910313	3.1	5.9	10.0	3.0	1.3	1000
TK365910313	3.6	5.9	10.0	3.0	1.3	1000
TK425910313	4.2	5.9	10.0	3.0	1.3	1000
TK525910313	5.2	5.9	10.0	3.0	1.3	1000
TK31682313	3.1	6.0	8.2	3.0	1.3	1000
TK36682313	3.6	6.0	8.2	3.0	1.3	1000
TK42682313	4.2	6.0	8.2	3.0	1.3	1000
TK52682313	5.2	6.0	8.2	3.0	1.3	1000
TK316395313	3.1	6.3	9.5	3.0	1.3	1000
TK366395313	3.6	6.3	9.5	3.0	1.3	1000
TK426395313	4.2	6.3	9.5	3.0	1.3	1000
TK526395313	5.2	6.3	9.5	3.0	1.3	1000
TK316313313	3.1	6.3	13.0	3.0	1.3	1000
TK366313313	3.6	6.3	13.0	3.0	1.3	1000
TK426313313	4.2	6.3	13.0	3.0	1.3	1000
TK526313313	5.2	6.3	13.0	3.0	1.3	1000
TK516159432	5.1	6.0	15.0	9.4	3.2	1000
TK3169153515	3.1	6.9	15.0	3.5	1.5	1000
TK3669153515	3.6	6.9	15.0	3.5	1.5	1000
TK4269153515	4.2	6.9	15.0	3.5	1.5	1000
TK5269153515	5.2	6.9	15.0	3.5	1.5	1000
TK6269153515	6.2	6.9	15.0	3.5	1.5	1000
TK3179153515	3.1	7.9	15.0	3.5	1.5	1000
TK3679153515	3.6	7.9	15.0	3.5	1.5	1000
TK4279153515	4.2	7.9	15.0	3.5	1.5	1000
TK5279153515	5.2	7.9	15.0	3.5	1.5	1000
TK6279153515	6.2	7.9	15.0	3.5	1.5	1000
TK3189153515	3.1	8.9	15.0	3.5	1.5	1000
TK3689153515	3.6	8.9	15.0	3.5	1.5	1000
TK4289153515	4.2	8.9	15.0	3.5	1.5	1000
TK5289153515	5.2	8.9	15.0	3.5	1.5	1000
TK6289153515	6.2	8.9	15.0	3.5	1.5	1000

Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK8289153515	8.2	8.9	15.0	3.5	1.5	1000
TK3199153515	3.1	9.9	15.0	3.5	1.5	1000
TK3699153515	3.6	9.9	15.0	3.5	1.5	1000
TK4299153515	4.2	9.9	15.0	3.5	1.5	1000
TK5299153515	5.2	9.9	15.0	3.5	1.5	1000
TK6299153515	6.2	9.9	15.0	3.5	1.5	1000
TK8299153515	8.2	9.9	15.0	3.5	1.5	1000
TK821041851	8.2	10.4	18.0	5.0	1.0	1000
TK3110918415	3.1	10.9	18.0	4.0	1.5	1000
TK4210918415	4.2	10.9	18.0	4.0	1.5	1000
TK5210918415	5.2	10.9	18.0	4.0	1.5	1000
TK6210918415	6.2	10.9	18.0	4.0	1.5	1000
TK82109184156	8.2	10.9	18.0	4.0	1.5	1000
TK10210918415	10.2	10.9	18.0	4.0	1.5	1000
TK4211918415	4.2	11.9	18.0	4.0	1.5	1000
TK5211918415	5.2	11.9	18.0	4.0	1.5	1000
TK6211918415	6.2	11.9	18.0	4.0	1.5	1000
TK8211918415	8.2	11.9	18.0	4.0	1.5	1000
TK10211918415	10.2	11.9	18.0	4.0	1.5	1000
TK1021252151	10.2	12.5	21.0	5.0	1.0	1000
TK10212919415	10.2	12.9	19.0	4.0	1.5	1000
TK1221382542	12.2	13.8	25.0	4.0	2.0	1000
TK1221482542	12.2	14.8	25.0	4.0	2.0	1000
TK122152441	12.2	15.0	24.0	4.0	1.0	1000
TK1221582542	12.2	15.8	25.0	4.0	2.0	1000
TK1421582542	14.2	15.8	25.0	4.0	2.0	1000
TK1221782542	12.2	17.8	25.0	4.0	2.0	1000
TK1421782542	14.2	17.8	25.0	4.0	2.0	1000
TK1621782542	16.2	17.8	25.0	4.0	2.0	1000
TK1621923251	16.2	19.0	23.0	25.0	1.0	1000
TK3610918415	3.6	10.9	18.0	4.0	1.5	1000

Grupa TK. Tulejka z kołnierzem.

Materiał: PA **Kolor:** Naturalny



Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK6810102	6.0	8.0	10.0	10.0	2.0	100
TK61015815	6.0	10.0	15.0	8.0	1.5	100

Przykład zamówienia: TK506070505

Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK610151015	6.0	10.0	15.0	10.0	1.5	100
TK8121662	8.0	12.0	16.0	6.0	2.0	100
TK81216122	8.0	12.0	16.0	12.0	2.0	100
TK10121662	10.0	12.0	16.0	6.0	2.0	100
TK101216122	10.0	12.0	16.0	12.0	2.0	100
TK81420102	8.0	14.0	20.0	10.0	2.0	100
TK81420122	8.0	14.0	20.0	12.0	2.0	100
TK101420102	10.0	14.0	20.0	10.0	2.0	100
TK101420122	10.0	14.0	20.0	12.0	2.0	100
TK121420102	12.0	14.0	20.0	10.0	2.0	100
TK121420122	12.0	14.0	20.0	12.0	2.0	100
TK101620102	10.0	16.0	20.0	10.0	2.0	100
TK101620122	10.0	16.0	20.0	12.0	2.0	100
TK121620102	12.0	16.0	20.0	10.0	2.0	100
TK121620122	12.0	16.0	20.0	12.0	2.0	100
TK131724204	13.0	17.0	24.0	20.0	4.0	100
TK141724204	14.0	17.0	24.0	20.0	4.0	100
TK101824204	10.0	18.0	24.0	20.0	4.0	100
TK121824204	12.0	18.0	24.0	20.0	4.0	100
TK132028204	13.0	20.0	28.0	20.0	4.0	100
TK142028204	14.0	20.0	28.0	20.0	4.0	100
TK152028204	15.0	20.0	28.0	20.0	4.0	100
TK162028152	16.0	20.0	28.0	15.0	2.0	100
TK162028204	16.0	20.0	28.0	20.0	4.0	100
TK142030204	14.0	20.0	30.0	20.0	4.0	100
TK142030242	14.0	20.0	30.0	24.0	2.0	100
TK152030204	15.0	20.0	30.0	20.0	4.0	100
TK162030204	16.0	20.0	30.0	20.0	4.0	100
TK122230204	12.0	22.0	30.0	20.0	4.0	100
TK142230204	14.0	22.0	30.0	20.0	4.0	100
TK152230204	15.0	22.0	30.0	20.0	4.0	100
TK162230152	16.0	22.0	30.0	15.0	2.0	100
TK162230204	16.0	22.0	30.0	20.0	4.0	100
TK182230204	18.0	22.0	30.0	20.0	4.0	100
TK142430204	14.0	24.0	30.0	20.0	4.0	100
TK162430152	16.0	24.0	30.0	15.0	2.0	100
TK162430204	16.0	24.0	30.0	20.0	4.0	100
TK182430204	18.0	24.0	30.0	20.0	4.0	100
TK202430152	20.0	24.0	30.0	15.0	2.0	100
TK202430204	20.0	24.0	30.0	20.0	4.0	100
TK152530204	15.0	25.0	30.0	20.0	4.0	100
TK162530204	16.0	25.0	30.0	20.0	4.0	100
TK182530204	18.0	25.0	30.0	20.0	4.0	100
TK202530152	20.0	25.0	30.0	15.0	2.0	100
TK202530204	20.0	25.0	30.0	20.0	4.0	100

Przykład zamówienia: TK506070505

Przykład zamówienia: TK506070505


Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK222530204	22.0	25.0	30.0	20.0	4.0	100
TK162630204	16.0	26.0	30.0	20.0	4.0	100
TK182630204	18.0	26.0	30.0	20.0	4.0	100
TK202630124	20.0	26.0	30.0	12.0	2.0	100
TK202630202	20.0	26.0	30.0	20.0	4.0	100
TK222630204	22.0	26.0	30.0	20.0	4.0	100
TK162632204	16.0	26.0	32.0	20.0	4.0	100
TK182632204	18.0	26.0	32.0	20.0	4.0	100
TK202632154	20.0	26.0	32.0	15.0	2.0	100
TK202632202	20.0	26.0	32.0	20.0	3.0	100
TK202632203	20.0	26.0	32.0	20.0	4.0	100
TK222632204	22.0	26.0	32.0	20.0	4.0	100
TK202834204	20.0	28.0	34.0	20.0	4.0	100
TK222834204	22.0	28.0	34.0	20.0	4.0	100
TK203036203	20.0	30.0	36.0	20.0	3.0	100
TK203036244	20.0	30.0	36.0	24.0	4.0	100
TK223036244	22.0	30.0	36.0	24.0	4.0	100
TK243036244	24.0	30.0	36.0	24.0	4.0	100
TK253036203	25.0	30.0	36.0	20.0	3.0	100
TK253036244	25.0	30.0	36.0	24.0	4.0	100
TK223240244	22.0	32.0	40.0	24.0	4.0	100
TK243240244	24.0	32.0	40.0	24.0	4.0	100
TK253240203	25.0	32.0	40.0	20.0	3.0	100
TK253240244	25.0	32.0	40.0	24.0	4.0	100
TK263240244	26.0	32.0	40.0	24.0	4.0	100
TK283240244	28.0	32.0	40.0	24.0	4.0	100
TK283240304	28.0	32.0	40.0	30.0	4.0	100
TK303240244	30.0	32.0	40.0	24.0	4.0	100
TK303240304	30.0	32.0	40.0	30.0	4.0	100
TK243545244	24.0	35.0	45.0	24.0	4.0	100
TK253545203	25.0	35.0	45.0	20.0	3.0	100
TK253545244	25.0	35.0	45.0	24.0	4.0	100
TK253545304	25.0	35.0	45.0	30.0	4.0	100
TK263545244	26.0	35.0	45.0	24.0	4.0	100
TK283545244	28.0	35.0	45.0	24.0	4.0	100
TK283545304	28.0	35.0	45.0	30.0	4.0	100
TK303545244	30.0	35.0	45.0	24.0	4.0	100
TK303545304	30.0	35.0	45.0	30.0	4.0	100
TK323545244	32.0	35.0	45.0	24.0	4.0	100
TK323545304	32.0	35.0	45.0	30.0	4.0	100
TK253645244	25.0	36.0	45.0	24.0	4.0	100
TK263645244	26.0	36.0	45.0	24.0	4.0	100
TK283645244	28.0	36.0	45.0	24.0	4.0	100
TK303645244	30.0	36.0	45.0	24.0	4.0	100
TK323645244	32.0	36.0	45.0	24.0	4.0	100

Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar B /mm/	Wymiar D /mm/	Wymiar E /mm/	Opak. szt.
TK263848244	26.0	38.0	48.0	24.0	4.0	100
TK283848244	28.0	38.0	48.0	24.0	4.0	100
TK283848304	28.0	38.0	48.0	30.0	4.0	100
TK303848244	30.0	38.0	48.0	24.0	4.0	100
TK303848304	30.0	38.0	48.0	30.0	4.0	100
TK323848304	32.0	38.0	48.0	30.0	4.0	100
TK323848244	32.0	38.0	48.0	24.0	4.0	100
TK284858244	28.0	40.0	50.0	24.0	4.0	100
TK304050244	30.0	40.0	50.0	24.0	4.0	100
TK324050244	32.0	40.0	50.0	24.0	4.0	100
TK324050304	32.0	40.0	50.0	30.0	4.0	100
TK334050244	33.0	40.0	50.0	24.0	4.0	100
TK334050304	33.0	40.0	50.0	30.0	4.0	100
TK364050244	36.0	40.0	50.0	24.0	4.0	100
TK324454405	32.0	44.0	54.0	40.0	5.0	100
TK334454405	33.0	44.0	54.0	40.0	5.0	100
TK364454405	36.0	44.0	54.0	40.0	5.0	100
TK384454405	38.0	44.0	54.0	40.0	5.0	100
TK404454405	40.0	44.0	54.0	40.0	5.0	100
TK364836405	36.0	48.0	36.0	40.0	5.0	100
TK384838405	38.0	48.0	38.0	40.0	5.0	100
TK404840405	40.0	48.0	40.0	40.0	5.0	100
TK424858485	42.0	48.0	58.0	40.0	5.0	100
TK385060405	38.0	50.0	60.0	40.0	5.0	100
TK405060405	40.0	50.0	60.0	40.0	5.0	100
TK425060405	42.0	50.0	60.0	40.0	5.0	100
TK405670405	40.0	56.0	70.0	40.0	5.0	100
TK425670405	42.0	56.0	70.0	40.0	5.0	100
TK455670405	45.0	56.0	70.0	40.0	5.0	100
TK485670405	48.0	56.0	70.0	40.0	5.0	100
TK505670405	50.0	56.0	70.0	40.0	5.0	100
TK505670505	50.0	56.0	70.0	50.0	5.0	100
TK456070405	45.0	60.0	70.0	40.0	5.0	100
TK486070405	48.0	60.0	70.0	40.0	5.0	100
TK506070405	50.0	60.0	70.0	40.0	5.0	100
TK506070505	50.0	60.0	70.0	50.0	5.0	100

Przykład zamówienia: TK506070505

Grupa T. Tulejka dystansowa.

Materiał: PA Kolor: Naturalny



Art. nr.	Wymiar C /mm/	Wymiar A /mm/	Wymiar D /mm/	Opak. szt.
T81210	8.0	12.0	10.0	100
T101210	10.0	12.0	10.0	100
T81410	8.0	14.0	10.0	100
T101410	10.0	14.0	10.0	100
T121410	12.0	14.0	10.0	100
T101610	10.0	16.0	10.0	100
T121610	12.0	16.0	10.0	100
T121814	12.0	18.0	14.0	100
T152015	15.0	20.0	15.0	100
T162015	16.0	20.0	15.0	100
T152215	15.0	22.0	15.0	100
T162215	16.0	22.0	15.0	100
T162415	16.0	24.0	15.0	100
T202415	20.0	24.0	15.0	100
T152515	15.0	25.0	15.0	100
T202515	20.0	25.0	15.0	100
T202620	20.0	26.0	20.0	100
T202820	20.0	28.0	20.0	100
T203020	20.0	30.0	20.0	100
T203020	20.0	30.0	20.0	100
T203032	20.0	30.0	32.0	100
T253220	25.0	32.0	20.0	100
T253220	25.0	32.0	20.0	100
T253520	25.0	35.0	20.0	100
T283520	28.0	35.0	20.0	100
T303520	30.0	35.0	20.0	100
T303630	30.0	36.0	30.0	100
T323630	32.0	36.0	30.0	100
T283819	28.0	38.0	19.0	100
T304030	30.0	40.0	30.0	100
T324030	32.0	40.0	30.0	100
T404540	40.0	45.0	40.0	100
T404840	40.0	48.0	40.0	100
T405040	40.0	50.0	40.0	100
T505650	50.0	56.0	50.0	100
T506050	50.0	60.0	50.0	100
T546260	54.0	62.0	60.0	100