


Grupa ON. Osłona narożnika.

Materiał: PE **Kolor:** Czarny




Art. nr.	Grubość płyty	Wymiar L /mm/	Grubość ścianki	Opak. szt.
ON2-3	2.0-3.0	50.0	1.0	250
ON3-4	3.0-4.0	30.0	1.0	250
ON4-5	4.0-5.0	50.0	1.0	250
ON5-6	5.0-6.0	50.0	1.0	250
ON7-8	7.0-8.0	50.0	1.0	250
ON9-10	9.0-10.0	50.0	1.0	250
ON11-12	11.0-12.0	50.0	1.0	250
ON15-16	15.0-16.0	50.0	1.0	250
ON19-20	19.0-20.0	50.0	1.0	250
ON21-22	21.0-22.0	50.0	1.0	250
ON25-26	25.0-26.0	50.0	1.0	250
ON32-33	32.0-33.0	50.0	1.0	250
ON39-40	39.0-40.0	50.0	1.0	250
ON28.5-30	28.5-30.0	50.0	1.0	250
ON49-50	49.0-50.0	50.0	1.0	250

Przykład zamówienia: ON24-26

Grupa ON. Osłona krawędzi, gwintu.

Rodzaj profilu: okrągły **Rodzaj montażu:** zewnętrzny

Materiał: PE **Kolor:** naturalny / *** niebieski, żółty/




Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Gwint Metr./ DIN 259	Gwint DIN 2448/2458	Opak. szt.
OZ57M6	5.7	12.0	M6		250
OZ78M8	7.8	14.3	M8 - 5/16		250
OZ98M10	9.8	11.0	M10 - 13/32	R1/8	250
OZ1028	10.2	8.0			250
OZ1058	10.5	8.0			250
OZ115M12	11.5	12.0	M12 - 15/32		250
OZ127135	12.7	13.5		R1/4	250
OZ12718	12.7	18.0		R1/4	250
OZ135M14	13.5	13.5	M14 - 17/32		250

Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Gwint Metr./ DIN 259	Gwint DIN 2448/2458	Opak. szt.
OZ157M16	15.7	15.0	M16 – 5/8		250
OZ15914	15.9	14.0		R3/8	250
OZ17224***	17.2	24.0		R3/8	250
OZ17M18	17.7	15.0	M18 – 23/32		250
OZ197M20	19.7	14.0	M20 – 25/32		250
OZ21324***	21.3	24.0		R1/2	250
OZ213M22	21.3	15.5	M22 – 7/8		250
OZ235M24	23.5	18.5	M24 – 15/16		250
OZ254M26	25.4	17.5	M26		250
OZ26927***	26.9	27.0		R3/4	250
OZ293M30	29.3	18.0	M30		250
OZ33729***	33.7	29.0		R1	250
OZ42429***	42.4	29.0		R1 1/4	250
OZ48329***	48.3	29.0		R1 1/2	250
OZ60336***	60.3	36.0		R2	250
OZ76136***	76.1	36.0		R2 1/2	250
OZ88.940***	88.9	40.0		R3	250
OZ10840***	108.0	40.0			250
OZ114340***	114.3	40.0		R4	250
OZ13340***	133.0	40.0			250
OZ139740***	139.7	40.0		R5	250
OZ15940***	159.0	40.0		R6	250
OZ16840***	168.0	40.0			250
OZ193740***	193.7	40.0			250
OZ219140***	219.1	40.0		R8	250
OZ27335***	273.0	35.0		R10	250
OZ323935***	323.9	35.0		R12	250

Grupa OWW. Osłona gwintu.

Rodzaj montażu: wewnętrzny

Materiał: PE **Kolor:** naturalny




Art. nr.	Wymiar D /mm/	Wymiar d /mm/	Wymiar H /mm/	Rodzaj gwintu	Opak. szt.
OWWM5	9.0	4.4	5.5	M5	1000
OWWM5-1	7.0	4.6	5.0	M5	1000
OWWM6	11.0	5.2	6.0	M6	1000
OWWM6-1	12.0	5.4	7.5	M6	1000
OWWM7	11.0	6.0	7.0	M7	1000
OWWM7-1	7.5	6.6	5.0	M7	1000

Art. nr.	Wymiar D /mm/	Wymiar d /mm/	Wymiar H /mm/	Rodzaj gwintu	Opak. szt.
OWWM8	11.0	7.0	6.5	M8	1000
OWWM8-1	11.0	7.3	6.0	M8	1000
OWWM8-2	11.0	7.5	4.5	M8	1000
OWWM9	12.0	8.0	7.5	M9	1000
OWWM10	12.0	8.5	8.0	M10	1000
OWWM10-1	11.5	8.8	8.0	M10 R1/8	1000
OWWM10-2	12.0	9.3	9.0	M 10 R1/8	1000
OWWM11	15.0	10.0	9.0	M11	1000
OWWM12	15.0	10.7	9.0	M12	1000
OWWM14	23.0	12.0	8.0	M14 R1/4	1000
OWWM14-1	17.5	12.6	9.0	M14	1000
OWWM16	18.5	14.8	9.0	M16	1000
OWWM18	20.0	16.8	9.0	M18	1000
OWWM20	21.5	18.9	9.2	M20	1000
OWWM22	25.5	20.5	9.0	M22	1000
OWWM24	29.0	22.7	9.0	M24	1000
OWWM27	32.0	25.0	13.2	M27 R3/4	1000
OWWM30	29.6	27.1	15.0	M30	1000
OWWM33	38.0	31.2	13.0	M33	1000
OWWM36	40.0	34.0	20.0	M36	1000
OWWM39	47.0	35.5	14.5	M39	1000
OWWM42	51.0	39.7	15.0	M42	1000

Grupa OW. Osłona gwintu , krawędzi.

Rodzaj profilu: okrągły **Rodzaj montażu:** wewnętrzny

Materiał: PE **Kolor:** naturalny / *** niebieski, żółty/




Art. nr.	Wymiar d1 /mm/	Wymiar d2 /mm/	Wymiar D /mm/	Wymiar H /mm/	Opak. szt.
OW5	6.0	6.7	10.6	5.9	1000
OW8	7.6	8.5	12.0	8.0	1000
OW10	8.2	9.2	13.3	9.2	1000
OW11	9.2	10.3	13.9	10.0	1000
OW15	10.8	12.3	16.0	9.6	1000
OW16	11.4	12.7	16.9	10.0	1000
OW17	12.2	13.8	17.9	11.1	1000
OW20	13.9	15.4	19.1	12.3	1000
OW25	14.2	15.7	18.9	12.8	1000
OW25-1	14.4	16.1	19.0	12.0	1000
OW27	15.2	16.9	20.4	13.1	1000
OW30	17.2	19.0	23.1	14.1	1000

Przykład zamówienia: OW 80

OW35	17.8	20.2	24.0	14.0	1000
OW35-1	18.3	19.9	23.9	14.1	1000
OW38	21.1	22.8	27.5	15.0	500
OW40	21.9	25.0	28.4	15.5	500
OW41	24.0	25.7	30.0	14.0	500
OW44	27.2	28.4	34.6	13.7	500
OW50	29.4	31.8	36.0	17.0	500
OW55	33.1	34.9	39.5	16.8	500
OW60	37.9	40.4	40.4	18.0	500
OW71	44.5	47.5	51.5	19.0	500
OW80	55.5	58.1	62.0	20.0	500

Grupa O. Odbojnik pod szybę.


Materiał: PVC **Kolor:** Bezbarwny, czarny



Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar L /mm/	Wymiar d /mm/	Opak. szt.
O8254	8.0	2.5	6.0	4.0	100
O1438	14.0	3.0	7.0	8.0	100

Grupa O. Odbojnik pod szybę.


Materiał: PE **Kolor:** Czarny



Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar L /mm/	Wymiar d /mm/	Opak. szt.
O12358	12.0	3.0	7.0	5.8	100
O14378	14.0	3.0	7.0	8.0	100
O1558	15.0	5.0	13.0	8.0	100

Grupa O. Odbojnik pod szybę.

Materiał: PE **Kolor:** Czarny



Art. nr.	Wymiar D /mm/	Wymiar H /mm/	Wymiar H1 /mm/	Wymiar L /mm/	Wymiar d /mm	Opak. szt.
O1352	13.0	5.2	2.0	5.0	7.5	100
O13145	13.1	4.5	2.0	5.5	9.3	100

Grupa PP. Podpórka półki.

Materiał: PVC **Kolor:** Czarny



Art. nr.	Ø Trzpienia	Opak. szt.
PP5	5.0	1000
PP6	6.0	1000
PP7	7.0	1000
PP8	8.0	1000

Przykład zamówienia: PP 5