

## IF - zaślepka, stopka



**Kategoria :** Zaślepki

**Rodzaj profilu:**  
Okragły

**Rodzaj montażu:**  
Wewnętrzny

**Materiał:**  
Polietylen

**Kolor:**  
Czarny, biały, popielaty

Art. nr	Zew. wymiar profilu /mm/	Grubość ścianki /mm/	Wymiar H /mm/	Wymiar L /mm/	Opak. szt.
IF10	10.0	1.0-2.0	4.0	6.0	1000
IF12	12.0	1.0-2.0	4.0	10.0	1000
IF13	13.0	1.0-2.0	4.0	10.0	1000
IF14	14.0	1.0-2.0	4.0	9.3	1000
IF15	15.0	1.0-2.0	4.0	9.6	1000
IF16	16.0	1.0-2.0	4.0	10.0	500
IF18	18.0	1.0-2.0	4.1	12.0	500
IF19	19.0	1.0-2.0	4.1	11.0	500
IF20	20.0	1.0-2.0	4.0	12.0	500
IF22	22.0	1.0-2.0	4.0	11.8	500
IF25	25.0	1.0-2.0	5.0	11.8	500
IF25x5	25.0	3.0-5.0	5.3	11.8	500
IF27	27.0	1.5-2.5	5.0	13.8	500
IF28	28.0	1.0-2.5	4.1	11.0	500
IF30	30.0	1.0-2.0	4.1	11.0	500
IF30x3	30.0	2.5-3.5	4.1	11.0	500
IF32	32.0	1.0-2.5	4.1	11.0	500
IF32x5	32.0	2.5-4.5	5.0	11.5	2000
IF34	34.0	1.0-3.0	5.0	11.5	500
IF35	35.0	1.5-2.5	5.0	14.0	500

Art. nr	Zew. wymiar profilu /mm/	Grubość ścianki /mm/	Wymiar H /mm/	Wymiar L /mm/	Opak. szt.
IF36	36.0	1.0-2.0	5.0	13.8	500
IF38	38.0	1.0-2.0	5.0	11.8	500
IF40	40.0	1.0-2.0	5.0	11.7	100
IF40x3	40.0	3.0-5.0	5.0	11.5	100
IF42	42.0	1.0-2.0	5.0	11.5	100
IF43	43.0	1.5-2.5	5.0	14.0	100
IF45	45.0	1.0-2.0	5.0	15.0	100
IF46	46.0	1.5-3.5	4.7	11.5	100
IF48	48.0	1.5-2.5	5.1	18.0	100
IF48x3	48.0	3.0-4.0	5.1	18.0	100
IF50	50.0	1.0-3.0	5.0	18.0	100
IF50x0.8	50.0	0.8-1.5	5.1	11.7	100
IF50x3	50.0	2.5-3.5	5.2	17.5	100
IF50x4	50.0	4.0-5.0	5.2	11.5	100
IF51	51.0	1.5-2.5	4.8	11.8	100
IF51x3	51.0	3.0-4.0	4.6	17.6	100
IF55	55.0	1.0-2.0	4.7	13.7	100
IF60	60.0	1.5-3.0	5.0	11.0	100
IF60x3	60.0	3.0-5.0	4.1	18.0	100
IF65	65.0	1.5-3.5	5.0	25.0	100
IF70x1	70.0	1.0-2.0	5.0	25.0	100
IF70	70.0	2.0-4.5	5.0	25.0	100
IF76	76.0	3.0-5.0	5.0	25.0	100
IF76x4	76.0	3.0-5.0	5.0	25.0	100
IF80	80.0	1.5-2.0	6.5	25.0	50
IF80x4	80.0	3.0-5.5	6.0	25.0	50
IF85	85.0	1.5-4.0	6.0	21.0	50
IF90	90.0	2.5-5.0	5.0	20.0	50
IF95	95.0	1.5-4.0	6.0	21.0	50
IF102	102.0	2.0-4.0	5.0	20.0	50
IF105	105.0	2.0-4.5	6.0	28.0	50
IF108	108.0	3.0-5.0	6.0	28.0	50

<b>Art. nr</b>	<b>Zew. wymiar profilu /mm/</b>	<b>Grubość ścianki /mm/</b>	<b>Wymiar H /mm/</b>	<b>Wymiar L /mm/</b>	<b>Opak. szt.</b>
IF110	110.0	2.0-4.5	6.0	28.0	50
IF114.3	114.3	3.2-5.5	6.0	28.0	50
IF120	120.0	2.0-4.0	6.0	28.0	50
IF125	125.0	2.0-6.0	6.0	34.0	50
IF130	130.0	3.0-5.0	6.0	34.0	50
IF133	133.0	2.0-6.0	6.0	34.0	25
IF140	140.0	3.0-5.0	6.0	34.0	25
IF150	150.0	2.0-7.0	6.0	34.0	25
IF159	159.0	2.0-6.5	6.0	34.0	25
IF168.3	168.3	2.0-6.5	6.0	34.0	25
IF193.7	193.7	3.0-8.0	6.0	34.0	25