

## IPRNL - zaślepka z gwintem /metalowy/



**Kategoria :** Wkładki

**Rodzaj profilu:**  
Okragły

**Rodzaj montażu:**  
Wewnętrzny

**Materiał:**  
Poliamid

**Kolor:**  
Czarny

Artykuł nr	Rodzaj profilu	Grubość ścianki /mm/	Rodzaj gwintu	Wymiar H /mm/	Wymiar L /mm/	Opak. szt.
IPRNL22M8	22.0	1.5-2.0	M8	4.0	25.5	100
IPRNL25M8	25.0	1.5-2.0	M8	4.0	25.5	100
IPRNL253M8	25.0	3.0-3.5	M8	4.0	25.5	100
IPRNL28M8	28.0	1.5-2.0	M8	4.0	25.5	100
IPRNL28M10	28.0	1.5-2.0	M10	4.0	25.5	100
IPRNL283M8	28.0	3.0-3.5	M8	4.0	25.5	100
IPRNL30M8	30.0	1.5	M8	4.0	25.5	100
IPRNL30M10	30.0	1.5	M10	4.0	25.5	100
IPRNL302M8	30.0	2.0-2.5	M8	4.0	25.5	100
IPRNL302M10	30.0	2.0-2.5	M10	4.0	25.5	100
IPRNL32M8	32.0	1.5	M8	4.0	25.5	100
IPRNL32M10	32.0	1.5	M10	4.0	25.5	100
IPRNL322M8	32.0	2.0-2.5	M8	4.0	25.5	100
IPRNL322M10	32.0	2.0-2.5	M10	4.0	25.5	100
IPRNL35M8	35.0	1.5	M8	4.0	25.5	100
IPRNL35M10	35.0	1.5	M10	4.0	25.5	100
IPRNL352M8	35.0	2.0-2.5	M8	4.0	25.5	100
IPRNL352M10	35.0	2.0-2.5	M10	4.0	25.5	100
IPRNL353M8	35.0	3.0-3.5	M8	4.0	25.5	100
IPRNL353M10	35.0	3.0-3.5	M10	4.0	25.5	100
IPRNL38M8	38.0	1.5	M8	4.0	25.5	100

Artykuł nr	Rodzaj profilu	Grubość ścianki /mm/	Rodzaj gwintu	Wymiar H /mm/	Wymiar L /mm/	Opak. szt.
IPRNL35M10	38.0	1.5	M10	4.0	25.5	100
IPRNL382M8	38.0	2.0-2.5	M8	4.0	25.5	100
IPRNL382M10	38.0	2.0-2.5	M10	4.0	25.5	100
IPRNL40M8	40.0	1.5	M8	4.0	25.5	100
IPRNL40M10	40.0	1.5	M10	4.0	25.5	100
IPRNL402M8	40.0	2.0-2.5	M8	4.0	25.5	100
IPRNL402M10	40.0	2.0-2.5	M10	4.0	25.5	100
IPRNL403M8	40.0	3.0-3.5	M8	4.0	25.5	100
IPRNL403M10	40.0	3.0-3.5	M10	4.0	25.5	100
IPRNL42M8	42.0	1.5	M8	4.0	25.5	100
IPRNL42M10	42.0	1.5	M10	4.0	25.5	100
IPRNL422M8	42.0	2.0-2.5	M8	4.0	25.5	100
IPRNL422M10	42.0	2.0-2.5	M10	4.0	25.5	100
IPRNL423M8	42.0	3.0-3.5	M8	4.0	25.5	100
IPRNL423M10	42.0	3.0-3.5	M10	4.0	25.5	100
IPRNL45M8	45.0	1.5	M8	4.0	25.5	100
IPRNL45M10	45.0	1.5	M10	4.0	25.5	100
IPRNL452M8	45.0	2.0-2.5	M8	4.0	25.5	100
IPRNL452M10	45.0	2.0-2.5	M10	4.0	25.5	100
IPRNL453M8	45.0	3.0	M8	4.0	25.5	100
IPRNL453M10	45.0	3.0	M10	4.0	25.5	100
IPRNL454M8	45.0	4.0	M8	4.0	25.5	100
IPRNL454M10	45.0	4.0	M10	4.0	25.5	100
IPRNL50M8	50.0	1.5	M8	4.0	25.5	100
IPRNL50M10	50.0	1.5	M10	4.0	25.5	100
IPRNL502M8	50.0	2.0-2.5	M8	4.0	25.5	100
IPRNL502M10	50.0	2.0-2.5	M10	4.0	25.5	100
IPRNL504M8	50.0	4.0	M8	4.0	25.5	100
IPRNL504M10	50.0	4.0	M10	4.0	25.5	100
IPRNL54M8	54.0	1.5	M8	4.0	25.5	100
IPRNL54M10	54.0	1.5	M10	4.0	25.5	100
IPRNL542M8	54.0	2.0-2.5	M8	4.0	25.5	100

Artykuł nr	Rodzaj profilu	Grubość ścianki /mm/	Rodzaj gwintu	Wymiar H /mm/	Wymiar L /mm/	Opak. szt.
IPRNL542M10	54.0	2.0-2.5	M10	4.0	25.5	100
IPRNL544M8	54.0	4.0	M8	4.0	25.5	100
IPRNL544M10	54.0	4.0	M10	4.0	25.5	100
IPRNL55M8	55.0	2.0-2.5	M8	4.0	25.5	100
IPRNL55M10	55.0	2.0-2.5	M10	4.0	25.5	100
IPRNL554M8	55.0	4.0	M8	4.0	25.5	100
IPRNL554M10	55.0	4.0	M10	4.0	25.5	100
IPRNL60M8	60.0	1.5	M8	4.0	25.5	100
IPRNL60M10	60.0	1.5	M10	4.0	25.5	100
IPRNL602M8	60.0	2.0-2.5	M8	4.0	25.5	100
IPRNL602M10	60.0	2.0-2.5	M10	4.0	25.5	100
IPRNL604M8	60.0	4.5-5.0	M8	4.0	25.5	100
IPRNL604M10	60.0	4.5-5.0	M10	4.0	25.5	100
IPRNL70M8	70.0	3.0	M8	4.0	25.5	100
IPRNL70M10	70.0	3.0	M10	4.0	25.5	100